


3080

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm	13,0 kg
FRAZ. / SECT.	



3081

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm	13,0 kg
FRAZ. / SECT.	



3082

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	15,0 kg
415 mm	7,0 kg
805 mm	15,0 kg
FRAZ. / SECT.	



3015

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	15,0 kg
415 mm	7,0 kg
805 mm	15,0 kg
FRAZ. / SECT.	



3016

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	18,0 kg



3017

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$

835 mm	19,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	19,0 kg




3018

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$

835 mm	20,0 kg
415 mm	10,0 kg
805 mm FRAZ. / SECT.	20,0 kg






3086

Mat = C45
Max T/m = 100
 $\alpha = 85^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm	13,0 kg
FRAZ. / SECT.	



3087

Mat = C45
Max T/m = 100
 $\alpha = 85^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm	13,0 kg
FRAZ. / SECT.	



3088

Mat = C45
Max T/m = 100
 $\alpha = 85^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm	13,0 kg
FRAZ. / SECT.	



3089

Mat = C45
Max T/m = 100
 $\alpha = 85^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm	13,0 kg
FRAZ. / SECT.	



3090

Mat = C45
Max T/m = 100
 $\alpha = 85^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm FRAZ. / SECT.	13,0 kg



3091

Mat = C45
Max T/m = 100
 $\alpha = 85^\circ$

835 mm	13,0 kg
415 mm	6,0 kg
805 mm FRAZ. / SECT.	13,0 kg




3092

Mat = C45
Max T/m = 100
 $\alpha = 85^\circ$

835 mm	13,0 kg
415 mm	6,0 kg
805 mm FRAZ. / SECT.	13,0 kg






3019

Mat = C45
Max T/m = 60
 $\alpha = 60^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm FRAZ. / SECT.	13,0 kg



3020

Mat = C45
Max T/m = 60
 $\alpha = 60^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm FRAZ. / SECT.	13,0 kg



3021

Mat = C45
Max T/m = 60
 $\alpha = 60^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm FRAZ. / SECT.	13,0 kg



3022

Mat = C45
Max T/m = 60
 $\alpha = 60^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm FRAZ. / SECT.	13,0 kg



3023

Mat = C45
 Max T/m = 75
 $\alpha = 60^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	18,0 kg



3024

Mat = C45
 Max T/m = 70
 $\alpha = 60^\circ$

835 mm	19,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	19,0 kg




3025

Mat = C45
 Max T/m = 65
 $\alpha = 60^\circ$

835 mm	20,0 kg
415 mm	10,0 kg
805 mm FRAZ. / SECT.	20,0 kg






3026

Mat = C45
Max T/m = 50
 $\alpha = 45^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm	13,0 kg
FRAZ. / SECT.	



3027

Mat = C45
Max T/m = 50
 $\alpha = 45^\circ$


835 mm	15,0 kg
415 mm	7,0 kg
805 mm	15,0 kg
FRAZ. / SECT.	



3028

Mat = C45
Max T/m = 50
 $\alpha = 45^\circ$


835 mm	15,0 kg
415 mm	7,0 kg
805 mm	15,0 kg
FRAZ. / SECT.	



3029

Mat = C45
Max T/m = 50
 $\alpha = 45^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm	18,0 kg
FRAZ. / SECT.	



3030

Mat = C45
Max T/m = 50
 $\alpha = 45^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	18,0 kg



3031

Mat = C45
Max T/m = 50
 $\alpha = 45^\circ$

835 mm	18,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	18,0 kg




3032

Mat = C45
Max T/m = 50
 $\alpha = 45^\circ$

835 mm	20,0 kg
415 mm	10,0 kg
805 mm FRAZ. / SECT.	20,0 kg






3042

Mat = C45
Max T/m = 35
 $\alpha = 30^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm	13,0 kg
FRAZ. / SECT.	



3043

Mat = C45
Max T/m = 40
 $\alpha = 30^\circ$


835 mm	14,0 kg
415 mm	7,0 kg
805 mm	14,0 kg
FRAZ. / SECT.	



3044

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$


835 mm	17,0 kg
415 mm	8,0 kg
805 mm	17,0 kg
FRAZ. / SECT.	



3045

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$


835 mm	17,0 kg
415 mm	8,0 kg
805 mm	17,0 kg
FRAZ. / SECT.	



3046

Mat = C45
 Max T/m = 50
 $\alpha = 30^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	18,0 kg



3047

Mat = C45
 Max T/m = 55
 $\alpha = 30^\circ$

835 mm	20,0 kg
415 mm	10,0 kg
805 mm FRAZ. / SECT.	20,0 kg




3048

Mat = C45
 Max T/m = 55
 $\alpha = 30^\circ$

835 mm	20,0 kg
415 mm	10,0 kg
805 mm FRAZ. / SECT.	20,0 kg





3083



Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$

835 mm	17,0 kg
415 mm	8,0 kg
805 mm	17,0 kg
FRAZ. / SECT.	

835 mm	17,0 kg
415 mm	8,0 kg
805 mm	17,0 kg
FRAZ. / SECT.	

3084

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$



3085


Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm	18,0 kg
FRAZ. / SECT.	

835 mm	18,0 kg
415 mm	9,0 kg
805 mm	18,0 kg
FRAZ. / SECT.	

3055

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$






3056

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	22,0 kg
415 mm	11,0 kg
805 mm	22,0 kg
FRAZ. / SECT.	



3057

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$

835 mm	27,0 kg
415 mm	13,0 kg
805 mm	27,0 kg
FRAZ. / SECT.	




3058

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$

835 mm	30,0 kg
415 mm	15,0 kg
805 mm	30,0 kg
FRAZ. / SECT.	






3093

Mat = C45
Max T/m = 100
 $\alpha = 85^\circ$


835 mm	17,0 kg
415 mm	8,0 kg
805 mm	17,0 kg
FRAZ. / SECT.	



3094

Mat = C45
Max T/m = 100
 $\alpha = 85^\circ$


835 mm	17,0 kg
415 mm	8,0 kg
805 mm	17,0 kg
FRAZ. / SECT.	



3095

Mat = C45
Max T/m = 100
 $\alpha = 85^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm	18,0 kg
FRAZ. / SECT.	



3096

Mat = C45
Max T/m = 100
 $\alpha = 85^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm	18,0 kg
FRAZ. / SECT.	



3097

Mat = C45
 Max T/m = 100
 $\alpha = 85^\circ$


835 mm	22,0 kg
415 mm	11,0 kg
805 mm	22,0 kg
FRAZ. / SECT.	



3098

Mat = C45
 Max T/m = 100
 $\alpha = 85^\circ$

835 mm	27,0 kg
415 mm	13,0 kg
805 mm	27,0 kg
FRAZ. / SECT.	




3099

Mat = C45
 Max T/m = 100
 $\alpha = 85^\circ$

835 mm	13,0 kg
415 mm	5,0 kg
805 mm	13,0 kg
FRAZ. / SECT.	






3059

Mat = C45
Max T/m = 60
 $\alpha = 60^\circ$


835 mm	17,0 kg
415 mm	8,0 kg
805 mm	17,0 kg
FRAZ. / SECT.	



3060

Mat = C45
Max T/m = 60
 $\alpha = 60^\circ$


835 mm	17,0 kg
415 mm	8,0 kg
805 mm	17,0 kg
FRAZ. / SECT.	



3061

Mat = C45
Max T/m = 60
 $\alpha = 60^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm	18,0 kg
FRAZ. / SECT.	



3062

Mat = C45
Max T/m = 60
 $\alpha = 60^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm	18,0 kg
FRAZ. / SECT.	



3063

Mat = C45
 Max T/m = 75
 $\alpha = 60^\circ$


835 mm	22,0 kg
415 mm	11,0 kg
805 mm	22,0 kg
FRAZ. / SECT.	



3064

Mat = C45
 Max T/m = 70
 $\alpha = 60^\circ$

835 mm	27,0 kg
415 mm	13,0 kg
805 mm	27,0 kg
FRAZ. / SECT.	




3065

Mat = C45
 Max T/m = 65
 $\alpha = 60^\circ$

835 mm	30,0 kg
415 mm	15,0 kg
805 mm	30,0 kg
FRAZ. / SECT.	






3066

Mat = C45
Max T/m = 50
 $\alpha = 45^\circ$


835 mm	17,0 kg
415 mm	8,0 kg
805 mm	17,0 kg
FRAZ. / SECT.	



3067

Mat = C45
Max T/m = 50
 $\alpha = 45^\circ$


835 mm	17,0 kg
415 mm	8,0 kg
805 mm	17,0 kg
FRAZ. / SECT.	



3068

Mat = C45
Max T/m = 50
 $\alpha = 45^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm	18,0 kg
FRAZ. / SECT.	



3069

Mat = C45
Max T/m = 50
 $\alpha = 45^\circ$


835 mm	22,0 kg
415 mm	11,0 kg
805 mm	22,0 kg
FRAZ. / SECT.	



3070

Mat = C45
Max T/m = 50
 $\alpha = 45^\circ$


835 mm	22,0 kg
415 mm	11,0 kg
805 mm	22,0 kg
FRAZ. / SECT.	



3071

Mat = C45
Max T/m = 50
 $\alpha = 45^\circ$

835 mm	27,0 kg
415 mm	13,0 kg
805 mm	27,0 kg
FRAZ. / SECT.	




3072

Mat = C45
Max T/m = 50
 $\alpha = 45^\circ$

835 mm	30,0 kg
415 mm	15,0 kg
805 mm	30,0 kg
FRAZ. / SECT.	






3073

Mat = C45
Max T/m = 35
 $\alpha = 30^\circ$


835 mm	17,0 kg
415 mm	8,0 kg
805 mm	17,0 kg
FRAZ. / SECT.	



3074

Mat = C45
Max T/m = 40
 $\alpha = 30^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm	18,0 kg
FRAZ. / SECT.	



3075

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$


835 mm	22,0 kg
415 mm	11,0 kg
805 mm	22,0 kg
FRAZ. / SECT.	



3076

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$


835 mm	22,0 kg
415 mm	11,0 kg
805 mm	22,0 kg
FRAZ. / SECT.	



3077

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$


835 mm	27,0 kg
415 mm	13,0 kg
805 mm	27,0 kg
FRAZ. / SECT.	



3078

Mat = C45
Max T/m = 55
 $\alpha = 30^\circ$

835 mm	30,0 kg
415 mm	15,0 kg
805 mm	30,0 kg
FRAZ. / SECT.	



3079

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$

835 mm	33,0 kg
415 mm	16,0 kg
805 mm	33,0 kg
FRAZ. / SECT.	

